

# ALMIGHTY

N E M A T I C I D E

## ACTIVE INGREDIENT:

Geraniol..... 4.50%

**OTHER INGREDIENTS:\***..... 95.50%

**TOTAL:** ..... **100.00%**

\*Water

How can we help?

1-833-476-7761

MANUFACTURED BY:

**GroPro**<sup>13</sup>

900 128th Street West

Burnsville, MN 55337

Phone: 1-833-476-7761

www.groproag.com

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**



\*May cause allergy or asthma symptoms  
or breathing difficulties if inhaled.

\*May cause an allergic skin reaction

\*Toxic to aquatic life

**ENVIRONMENTALLY SAFE**  
When Used as Directed

Mode of Action Group N-UNE

Intended for use by commercial applicators. For use in greenhouses, ornamentals, cannabis and on turf related to golf courses, sod farms, sport fields, residential, institutional, municipal, commercial, and other turfgrass areas. APPROVED FOR USE IN FLORIDA ON LOW-THC CANNABIS OR MEDICAL MARIJUANA. ENHANCED ROOT GROWTH IN THE PRESENCE OF PLANT PATHOGENIC NEMATODES.

This product has not been registered by the United States Environmental Protection Agency. GroPro represents that this product qualifies for exemption from registration under FIFRA.

EPA EST NO. 102052-WA-1



for more application  
specific information  
please use QR



**NET CONTENTS:** ■ **64 oz (1.89271 L)**

**TURF AND ORNAMENTAL**

**GroPro**<sup>13</sup>

## FIRST AID

**IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**Note to Physician:** Vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

## PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

- Avoid contact with skin, eyes, or clothing. Wear goggles or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
- In case of inadequate ventilation, wear respirator protection.
- Avoid release to environment

- Applicators and other handlers must wear:
  - Long-sleeved shirt and long pants, chemical-resistant gloves, shoes plus socks, protective eyewear.
  - Contaminated work clothing must not be allowed out of workplace.
  - Take off contaminated clothing and wash it before reuse in hot water.

## **USER SAFETY RECOMMENDATIONS**

- User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.
- Wash the outside of gloves before removing.

## **ENVIRONMENTAL HAZARDS**

**FOR TERRESTRIAL USES:** Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

## **USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exemptions pertaining to the statements on this label about personal protective equipment (PPE) and the restricted-entry interval (REI).

The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 0 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil or water is:

- Coveralls
- Shoes plus socks
- Chemical-resistant gloves
- Protective eyewear

## **STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE** - Store in a cool, dry place. Avoid freezing.

**PESTICIDE DISPOSAL** - To avoid wastes, use all material in this container by application according to label directions. If waste cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

**Container Handling (under 5 gallons):** Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container  $\frac{1}{4}$  full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances.

**Container Handling (over 5 gallons):** Non-refillable container. Do not reuse or

refill this container Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container  $\frac{1}{4}$  full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances.

## **DIRECTIONS FOR USE**

**CANNABIS RESTRICTION.** All applications on cannabis should be made with Almighty Nematicide to ensure only soil-directed applications around and adjacent to all plants. No applications can be made directly onto a plant. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

For use on all turf, ornamental, greenhouse, shade house, landscapes, cannabis, herbs, vegetables and or landscape tree and vine crops.

## **RESISTANCE MANAGEMENT**

Although resistance in nematode populations has not been proven when using other materials, geraniol has no known resistance factors as its a natural oil. The repeated exclusive use of any product may still lead to a reduction in control due to enhanced biodegradation or other causes. Contact your Cooperative Extension specialist, certified crop advisor and or product manufacturer for additional resistant management recommendations. ALMIGHTY® should be used as part of an Integrated Pest Management (IPM) program to control nematodes. IPM programs using cultural practices, sanitation, planting of resistant varieties to reduce infestations caused by nematodes, scouting or other detection methods, proper pest identification and rotation of nematicides with different modes of action will help prevent economic pest damage.

---

## PRODUCT INFORMATION

---

ALMIGHTY® can be used to control Root-knot (*Meloidogyne* spp.), Potato cyst nematode (*Globodera* spp.), Needle nematode\* (*Longidorus africanus*), Lance (*Hoplolaimus* spp.), Sting (*Belonolaimus* spp.), stubby root (*Trichodorus* and *Paratrichodorus* spp.), and Lesion nematodes (*Pratylenchus* spp.), plus many additional nematode species. A successful treatment with ALMIGHTY® will not eradicate nematode populations and does not control bacteria, insects, viruses, weeds or pathogens which attack plants in treated areas. Consult your state Agricultural Experiment station, Extension service provider or supplemental product labels for additional information and control measures for these pests.

New development applications must be broadcast incorporated, banded and incorporated, or by drip irrigation. Make applications at a rate of 2 gal (256 fl. oz.) per acre, a minimum of seven days before seeding or re-sodding. Make soil applications only in accordance with directions and conditions of use described in this label. Treated areas can be covered with plastic or left uncovered according to planting practices. The residual activity of ALMIGHTY® is limited to the nematodes in the wetted area.

The use of ALMIGHTY® controls nematodes only when they are present at the time of application. Apply when nematodes are active. It will not control pests introduced into the soil after the active ingredient has dissipated, does not provide season long control, and does not guarantee pest free crops or turf. Effectiveness will be reduced if used in muck or high clay content soils.

Read and carefully follow the most restrictive labeling limitations and precautions of all products used in a tank mix.

**Do not** apply ALMIGHTY® with any other product before testing for physical and chemical compatibility of the mixture. To determine compatibility, pour the required proportions of the product(s) into a suitable container. After mixing, wait for 30 minutes and check to see if the product remains mixed. If the product remains mixed, it is considered physically compatible. It is the pesticide user's responsibility to ensure that all products in a tank mix are registered for the intended use. Users must follow the most restrictive directions and

precautionary language of the products of the mixture (for example, first aid from one product, spray drift management from another).

## **USER INFORMATION**

Use ALMIGHTY® in accordance with all applicable label directions. ALMIGHTY® can be applied at any time when soil conditions permit and nematodes are active. Uniform application and incorporation to moist soils is essential. ALMIGHTY® should only be applied to moist, well-prepared areas. Ensure soils have sufficient moisture to support plant growth. If soils are not free of clods, debris and plant residues thoroughly incorporate them into the soil to prevent interference with application or control. Lack of effectiveness, crop injury residues in the crop can result from non-uniform distribution of product. Consult your equipment manufacturer, State Extension specialist or GROPRO representative for calibration or application questions.

## **HOW TO USE ALMIGHTY®**

### **Pre-Plant Dip Use Directions**

Product can be applied as a pre-plant dip for improved plant health and suppression of certain soil-borne issues. Apply material at (4-8 ounces) product per 10 gallons of water as a pre-plant dip immediately prior to transplanting, unless specified..

### **Soil Treatment Use Directions**

Material can be applied by soil drench, in-furrow spray, or soil injection to improve plant health and to protect against nematodes. In general, material can be applied by the following methods, unless specified differently.

### **Soil Drench Applications**

1. Apply product at a concentration of 1-4 gallons per acre, and at a sufficient rate to thoroughly soak the growing media and root zone.
2. Make additional applications in 90-120 day intervals at 2qts-1gal per acre. Make all applications with enough water to set into root zone.
3. Make applications for spot treated soil drenches at 2-5 gal of water per 1000 sq ft. this will ensure deeper penetration to root area.

### **Specific Cannabis Use**

This material can only be done with soil-directed applications around and adjacent to all plants.

ALMIGHTY® can be applied to all indoor and outdoor shade house, greenhouses hoop house, nurseries, turf, landscaping crops and grasses grown in these locations.

## **MIXING INSTRUCTIONS**

**SHAKE WELL BEFORE USING – USE DILUTION IMMEDIATELY  
DO NOT STORE DILUTED SOLUTION**

**MATERIAL + WATER** – Fill a clean tank with half the amount of required clean water. With the agitator running, add the desired amount of product to the mix tank, following the application rate table. Continue agitation while filling the tank with the remaining required amount of water. Thoroughly mix until a homogeneous mixture is obtained. Start applying the solution after product has completely dispersed into the mixed water. For best results, maintain constant agitation in spray equipment.

**PRODUCT + TANK-MIXTURES** – The use of the tank mix must be in accordance with the more restrictive label limitations and precautions. Product cannot be mixed with another product with a prohibition against mixing. Do not pre-mix product with any other tank-mix component before adding to the spray tank.

**COMPATIBILITY OF SPRAY MIXTURES** – Limited compatibility testing has been conducted for product with other commonly used insecticides, fungicides, fertilizers, adjuvants, and surfactants. As such, tank mixing or use of product with any other product shall be the exclusive risk and responsibility of the user. Read and follow all precautions and limitations on labeling of all products used in tank mixtures. To ensure compatibility of the tank mix combinations, always perform a compatibility jar test of product with other chemicals testing the mixture on a small scale before making large-scale applications.

**PLANT SAFETY (PHYTOTOXICITY)** – Since plant varieties are numerous and may react differently to products, test the product on a small area to check for

burn before using it on a large scale, particularly for flowering ornamentals and delicate plants. NOTE: Apply early or late in the day. DO NOT apply to plants under stress or when temperatures exceed 90°F.

## **SOIL MOISTURE MANAGEMENT**

Soil moisture management can have an influence on product efficacy. Ensure soil moisture is adequate for uniform mechanical incorporation and to support plant growth. It is recommended to irrigate with 0.1 to 1 inch of water 4-12 hours after application. If applied by drip irrigation, make sure the initial moisture is at a level to allow the product to move uniformly throughout the bed as it is being drip irrigated. For optimal performance, all applications must be incorporated by water and/or mechanical means to a depth of the fleshy roots. Resume a normal irrigation schedule 1-2 days after planting, seeding or application. Excessive moisture immediately after application may cause this product to move past the targeted zone.

## **APPLICATION INFORMATION**

Applications using sufficient water volume to provide thorough and uniform coverage generally provide the most effective control. **Do not** make applications when raining or near rain events unless you apply prior to event and use rain to move material into rooting layer. Otherwise material will move beyond the target application area. Avoid spraying when windy, high temperature, drought, low relative humidity, or temperature inversion conditions exist.

## **IRRIGATION AND WATERING**

When using ALMIGHTY® against nematodes, for optimal control irrigate to depth of root zone protected. Over irrigating will move ALMIGHTY® out of root zones reducing control.

## **CHEMIGATION USE DIRECTIONS**

Apply specified rate per acre according to the instructions below unless specified differently.

# **CHEMIGATION**

## **GENERAL REQUIREMENTS**

1. Apply this product only through a drip system or sprinkler including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set, hand move, flood (basin), furrow, border or drip (trickle) irrigation systems. Do not apply this product through any other type of irrigation system.
2. Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.
3. If you have questions about calibration, you should contact State Extension Service specialists, equipment manufacturers or other experts.
4. Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.
5. A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

### **SPECIFIC REQUIREMENTS FOR CHEMIGATION SYSTEMS CONNECTED TO PUBLIC WATER SYSTEMS**

1. Public water system means a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days out of the year.
2. Chemigation systems connected to public water systems must contain a functional, reduced-pressure zone, backflow preventer (RPZ) or the functional equivalent in the water supply line upstream from the point of pesticide introduction. As an option to the RPZ, the water from the public water system should be discharged into a reservoir tank prior to pesticide introduction. There shall be a complete physical break (air gap) between the outlet end of the fill pipe and the top or overflow rim of the reservoir tank of at least twice the inside diameter of the fill pipe.

3. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
4. The pesticide injection pipeline must contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
5. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops, or in cases where there is no water pump, when the water pressure decreases to the point where pesticide distribution is adversely affected.
6. Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.
7. Do not apply when wind speed favors drift beyond the area intended for treatment.

#### **SPECIFIC REQUIREMENTS FOR SPRINKLER CHEMIGATION**

1. The system must contain a functional check valve, vacuum relief valve and low-pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.
2. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
3. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.

4. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.
5. The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
6. Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being filled with a system interlock.
7. Do not apply when wind speed favors drift beyond the area intended for treatment.

#### **SPECIFIC REQUIREMENTS FOR FLOOD (BASIN), FURROW AND BORDER CHEMIGATION**

1. Systems using a gravity flow pesticide dispensing system must meter the pesticide into the water at the head of the field and downstream of a hydraulic discontinuity such as a drop structure or weir box to decrease potential for water source contamination from backflow if water flow stops.
2. The systems utilizing a pressurized water and pesticide injection system must meet the following requirements:
  - a. The system must contain a functional check valve, vacuum relief valve and low-pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.
  - b. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
  - c. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
  - d. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.

- e. The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
- f. Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

### **SPECIFIC REQUIREMENTS FOR DRIP (TRICKLE) CHEMIGATION**

1. The system must contain a functional check valve, vacuum relief valve and low-pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.
2. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
3. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.
4. The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
5. Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

### **APPLICATION INSTRUCTIONS FOR ALL TYPES OF CHEMIGATION**

1. Remove scale, pesticide residues, and other foreign matter from the chemical supply tank and entire injector system. Flush with clean water.

Failure to provide a clean tank, void of scale or residues may cause product to lose effectiveness or strength.

2. Determine the treatment rates as indicated in the directions for use and make proper dilutions. Product can be applied continuously or at any time during the water application.
3. Prepare a solution in the chemical tank by filling the tank with the required water and then adding product as required.

## **POTTED PLANT BACKPACK APPLICATION**

Apply ALMIGHTY® at 2-4 fluid ounces per gallon of water in backpack. Apply allowing pots to be drenched with material ensuring coverage of rootzone.

## **EXTREME NEMATODE POPULATION APPLICATION INFORMATION**

Applications using sufficient water volume to provide thorough and uniform coverage generally provide the most effective control. **Do not** make applications when conditions favor drift beyond the target application area. Avoid spraying when windy, high temperature, drought, low relative humidity, or temperature inversion conditions exist.

## **IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, plant injury, other property damage, as well as other unintended consequences may result because of factors beyond the control of GroPro Corporation. Those factors include, but are not limited to, weather conditions, presence of other materials or the manner of

use or application. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, GROPRO CORPORATION. MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, GROPRO CORPORATION. DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT GROPRO CORPORATIONS ELECTION, THE REPLACEMENT OF PRODUCT.

## **KEEP OUT OF REACH OF CHILDREN CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle (If you do not understand this label, find someone to explain it to you in detail)

16

A single, solid black diagonal line is drawn across the page, starting from the bottom-left corner and extending towards the top-right corner. The line is straight and has a consistent thickness.

# ALMIGHTY

N E M A T I C I D E

## ACTIVE INGREDIENT:

Geraniol..... 4.50%

OTHER INGREDIENTS:\*..... 95.50%

TOTAL: ..... 100.00%

\*Water

## KEEP OUT OF REACH OF CHILDREN CAUTION



\*May cause allergy or asthma symptoms  
or breathing difficulties if inhaled.

\*May cause an allergic skin reaction

\*Toxic to aquatic life

How can we help?

1-833-476-7761

MANUFACTURED BY:

**GroPro**<sup>®</sup>

900 128th Street West

Burnsville, MN 55337

Phone: 1-833-476-7761

www.groproag.com

**ENVIRONMENTALLY SAFE**  
When Used as Directed

Mode of Action Group N-UNE

Intended for use by commercial applicators. For use in greenhouses, ornamentals, cannabis and on turf related to golf courses, sod farms, sport fields, residential, institutional, municipal, commercial, and other turfgrass areas. APPROVED FOR USE IN FLORIDA ON LOW-THC CANNABIS OR MEDICAL MARIJUANA. ENHANCED ROOT GROWTH IN THE PRESENCE OF PLANT PATHOGENIC NEMATODES.

This product has not been registered by the United States Environmental Protection Agency. GroPro represents that this product qualifies for exemption from registration under FIFRA.

Establishment Number: EPA EST NO. 102052-WA-1



for more application  
specific information  
please use QR



**NET CONTENTS:** ■ 64 oz (1.89271 L)

**TURF AND ORNAMENTAL**

**GroPro**<sup>®</sup>